Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6078	power adj line near5 AC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 21:11
S2	160	324/771.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 21:12
S 3	5	S1 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/24 21:12
S4	1	(high adj voltage adj transmission adj line adj attachabe adj device or hvtlad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:17
S5	932	(high adj voltage adj transmission adj line or hvtlad)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:17
S6	164	324/771.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:17
S7	1	S6 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:17
S8	31195	(current adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:21
S9	583	body adj capacitance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:23

						· · · · · · · · · · · · · · · · · · ·
S10	8	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:24
S11	1377	high adj AC adj2 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:26
S12	35	S8 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 16:30
S13	4	(("5,705,905") or ("5,656,931")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:31
S14	17	("3863187" "4314199" "4362986" "4442472" "4801937" "4829298" "5140257" "5485093" "5512832" "5550476" "5565783").PN. OR ("5656931"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/10/20 16:37
S15	4	(("5,705,905") or ("5,656,931")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 10:37
S16	2918	324/126,127,142.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 11:00
S17	2	("4799005").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2005/10/28 11:13
S18	683801	power adj supply	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 11:13

			-			
S19	590	S16 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 11:14
S20	1779	measur\$6 near5 AC adj2 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 11:14
S21	14	S19 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 11:14
S22	2	("6646859").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 20:18
S23	44	(("3,477,024") or ("4,009,477") or ("4,233,546") or ("4,384,289") or ("4,611,207") or ("4,724,381") or ("4,791,361") or ("4,795,973") or ("4,799,005") or ("4,886,980") or ("4,894,785") or ("5,181,026") or ("5,235,861") or ("5,448,138") or ("5,517,864") or ("5,559,430") or ("5,808,424") or ("5,918,288") or ("6,470,283") or ("6,671,635")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 20:19
S24	4	(("5,705,905") or ("5,656931")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 19:37
S25	6	(("4,758,962") or ("4,709,399") or ("6795,226")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 19:38
S26	2	("6646,859").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/26 19:42
S27	17497	power\$4 near10 power adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:43

S28	287	convert\$4 near3 current with power near5 circuitry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:45
S29	19	S27 and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/26 19:45

5/26/06 9:22:01 PM C:\Documents and Settings\TNguyen52\My Documents\EAST\Workspaces\10774088.wsp